



Chhattisgarh State Industrial Development Corporation Limited

(A Government of Chhattisgarh Undertaking)

LIC Campus, Pandri Raipur 492 004 (C.G)

Phone 91-771-2583789-90, Fax : 91-771-2583794, 4091879

Website: www.csidc.in, Email : csidc.cg@nic.in, csidc_raipur@yahoo.com

“A”

Reserve Items RC Year 2009-10

No.	Name of Items	Issue of RC Date	Validity period	No. of RC Holders
1	ISI Marked Chlorine Tablet	15.01.2009	14.01.2010	03
2	Desert Cooler	10.07.2009	09.07.2010	09
3	Hand Pump Spares	29-05-2009	28-05-2010	06
4	PHENYL	06.07.2009	05.07.2010	04
5	Aluminum Cable	18-08-09	17-08-2010	05
6	Cap Cover	29. 01. 2009	28.01.2010	01
7	Computer System	10.07.2009	09.07.2010	03
8	Laptop	21.07.2009	20.07.2010	03
9	Tarpaulin	17.07.2009	16.07.2010	04
10	Tree Guard	12-06-2009	11-06-2010	04
11	ISI Marked UPVC Pipe for Potable Water Supply Small and Large	13.10.08	12.10.09	09
12	Sanitary Appliances	06.07.2009	05.07.2010	02

Reserve Items RC Year 2009-10

Aluminum Cable

1. M/s Gupta Agro Impliments,
Sharan Compex,Opp.Deshbandhu
English School,Nehru Para Raipur (C.G.)
Rate Contract No. PS-II/MKD/56/09
GAI / 1610
2. M/s Prakash Cable Products,
Subhash Marg,Surajpur
Distt. Surguja (C.G.)
Phone No.- 07775-266350/550/750
Rate Contract No. PS-II/MKD/56/09
PCP / 1611
3. M/s Asian Cable Company,
2, Industrial Estate,
Raigarh (C.G.) - 496001
Tel. No.- 07762-222808
Rate Contract No. PS-II/MKD/56/09
ACC / 1612
4. M/s Rishabh Industries
Bus Stand,Baster Road
Distt.- DHAMTARI (C.G.) - 493773
Fax No.- 07722 – 237525
Rate Contract No. PS-II/MKD/56/09 Near Old
RI / 1613
5. M/s. Shri Siddhi Vinayak Industry
75 / A Industrial Area
Polo Ground Indore (M.P.)
Rate Contract No. PS-II/MKD/56/09
SVI / 1614



Chhattisgarh State Industrial Development Corporation Limited

(A Government of Chhattisgarh Undertaking)

LIC Campus, Pandri Raipur 492 004 (C.G)

Phone 91-771-2583789-90, Fax : 91-771-2583794, 4091879

Website: www.csidc.in, Email : csidc.cg@nic.in, csidc_raipur@yahoo.com

No./CSIDC/MKD/PS-II/07-08/

Raipur, Dated : 18-08-2009

Registered A/D

Rate Contract No. PS-II/MKD/56/09/GAI/1610

Dated: 18-08-2009

To ,

M/s Gupta Agro Impliments,
Sharan Complex, Opp. Deshbandhu English School
Naharpara Station Road
Raipur (C.G.)

FOR OFFICE USE ONLY

Sub :- Rate Contract for the supply of **Aluminum Cable (Valid From 18-08-09 to 17-08-2010)**

Ref :- (I) This Office Tender Enquiry No. PS-II/MKD/56/09, and

(I) Financial Bid opened on date. 01-06-09

(III) Your Offer acceptance along with agreement submitted by you on 03-08-2009

Dear Sir,

You are hereby informed that your above referred tender read with subsequent letters mentioned above for the Stores specified in the Schedules annexed has been accepted. This rate contract will be governed by the terms and conditions brought in CSIDC Form No.1 & 2 . The Rate Contract and the Schedules annexed hereto shall be the sole repository of this Rate Contract / Transaction .

You are required to show the original **INK-SIGNED** subject Rate Contract to the satisfaction of Direct Demanding Officer who will place the supply order as per instructions contained in CSIDC form No. 2 and also to the Quality Assurance Officer for inspection purpose and to the paying authority at the time of getting the payment .

SCHEDULES ANNEXED :

1. Schedule "A" Description of Stores, Prices, Duties/Taxes .
2. Annexure -"A" Technical Particulars of **Aluminum Cable** .
3. Schedule "B" Special conditions of contract (if any).
4. Schedule "C" Information to DDOs about parallel rate contracts.
5. Schedule "D" Format for Drawal Report.

(S.K. Sonwani)

I/C Marketing -1

For and on behalf of the purchaser
named in CSIDC Form No. 2

Copy To,

1. Secretary, Chhattisgarh Vidhan Sabha ,Raipur .
2. Registrar, Honourable High court Chhattisgarh, Bilaspur .
3. Accountant General Chhattisgarh State .
4. All HODs of Chhattisgarh Govt. with request to circulate the copy of R/C to all Authorized officers to operate R/C as Direct Demanding Officer **& also to send the copy of purchase order issued by DDO by registered mail to this office.**
5. All Collectors ,Chhattisgarh State .
6. Director Treasury with request to circulate copy of R/C to all branches under your control .
7. Dy.Director (Q.A.), DGS&D, Bhilai.
8. PDIL Kolkata
 - Sr. No. 1 to 7 are requested to call for original INK-SIGNED Rate Contract for verification to their full satisfaction including validity of various documents like Registration, Tax Registration etc. before taking action i.e. release of supply order, inspection of stores, payment of bill whichever is applicable, as the responsibility rests with the concerned authority **You are requested to send the Inspection Report to this office.**
9. Manager (A/c) ,CSIDC (Mkt. Division). He is requested to maintain a master file of Rate Contract .
10. Computer cell Marketing Division, CSIDC Ltd. Raipur to release Rate Contract on CSIDC website.
11. Main file of **Aluminum Cable** .

(S.K. Sonwani)

I/C Marketing -1

For and on behalf of the purchaser
named in CSIDC Form No. 2

SCHEDULE 'A'For the supply of **Aluminum Cable** as per annexure 'A' enclosed.

1. (a) NAME AND FULL ADDRESS OF THE FIRM :- M/s Gupta Agro Impliments,
Sharan Complex, Opp. Deshbandhu
English School
Naharpara Station Road
Raipur (C.G.)
- (b) NAME AND FULL ADDRESS OF MANUFACTURER :- M/s Gupta Agro Impliments,
B/H Banjari Temple
Rava Bhata Industrial area
Birgaon
Raipur (C.G.)
2. VALIDITY OF RATE CONTRACT :- **From 18-08-09 to 17-08-2010**
3. DESCRIPTION OF ITEM, **Aluminum Cable** , SPECIFICATION, UNIT RATE/Mtr.

Serial No.	Sub Item Code No.	Item Description	Rate FOR Destination Excluding ED. & VAT As Applicable (Unit Rate/Mtr)
Schedule-1			
PVC Al. Cable (Large) Number of Cores mm / Size in Sq			
1	PVCALC065001	Single 16	9.67
2	PVCALC065002	Single 25	16.32
Schedule-2			
Weather proof Unarmoured PVC insulated and PVC Sheathed Al. Conductor Cables Number of Core / Size in Sq. mm			
3	PVCALC065008	Single Sheathed 16	11.92
4	PVCALC065009	Single Sheathed 25	18.05
5	PVCALC065012	Twin Flat 16	26.43
6	PVCALC065013	Twin Flat 25	42.69
7	PVCALC065016	Three Circular 16	40.62
8	PVCALC065017	Three Circular 25	53.48

(S.K. Sonwani)
I/C Marketing -1
For and on behalf of the purchaser
named in CSIDC Form No. 2

Schedule-3			
Non Weather proof Unarmoured PVC insulated Al. Conductor Size of the Cable in mm2 / Conductor Type			
9	PVCALC065024	1.5 Solid	1.28
10	PVCALC065025	2.5 Solid	1.82
11	PVCALC065026	2.5 Three Strand	1.91
12	PVCALC065027	4 Solid	2.73
13	PVCALC065028	4 Three Strand	3.00
14	PVCALC065029	4 Seven Strand	3.08
15	PVCALC065030	6 Solid	3.78
16	PVCALC065031	6 Three Strand	3.91
17	PVCALC065032	6 Seven Strand	4.03
18	PVCALC065033	10 Solid	5.66
19	PVCALC065034	10 Seven Strand	6.63
Schedule-4			
Weather proof Unarmoured PVC insulated and PVC Sheathed Al. No. of Core / Size of the Cable in mm2 / Type of Conductor			
20	PVCALC065035	Single Solid 1.5	1.83
21	PVCALC065036	Single Solid 2.5	2.69
22	PVCALC065037	Single 3 Strand 2.5	3.27
23	PVCALC065038	Single Solid 4	4.09
24	PVCALC065039	Single 3 Strand 4	4.18
25	PVCALC065040	Single Seven Solid 4	3.51
26	PVCALC065041	Single Solid 6	4.59
27	PVCALC065042	Single 3 Strand 6	5.58
28	PVCALC065043	Single 7 Strand 6	5.58
29	PVCALC065044	Single Solid 10	7.55
30	PVCALC065045	Single 7 Strand 10	8.81
31	PVCALC065046	Twin Flat Solid 1.5	3.23
32	PVCALC065047	Twin Flat Solid 2.5	5.63
33	PVCALC065048	Twin Flat 3 Strand 2.5	6.00
34	PVCALC065049	Twin Flat Solid 4	7.00
35	PVCALC065050	Twin Flat 3 Strand 4	7.48
36	PVCALC065051	Twin Flat 7 Strand 4	7.48
37	PVCALC065052	Twin Flat Solid 6	10.03

(S.K. Sonwani)
I/C Marketing -1
For and on behalf of the purchaser
named in CSIDC Form No. 2

38	PVCALC065053	Twin Flat 3 Strand 6	12.47
39	PVCALC065055	Twin Flat Solid 10	14.36
40	PVCALC065056	Twin Flat 7 Strand 10	17.23
41	PVCALC065058	3 Circular Solid 2.5	8.29
43	PVCALC065059	3 Circular 3 Strand 2.5	8.86
44	PVCALC065060	3 Circular Solid 4	12.59
45	PVCALC065061	3 Circular 3 Strand 4	12.89
46	PVCALC065062	3 Circular Strand 4	13.07
47	PVCALC065063	3 Circular Solid 6	18.50
48	PVCALC065064	3 Circular 3 Strand 6	19.93
49	PVCALC065065	3 Circular Seven Strand 6	19.93
50	PVCALC065066	3 Circular Solid 10	27.23
51	PVCALC065067	3 Circular Seven Strand 10	27.50

Note:-Technical particulars as per Annexure A enclosed.

4. TERMS OF DELIVERY : F. O. R Destination (Any where in C.G.State)
5. EXCISE DUTY : Extra as applicable
6. SALES TAX : Sales Tax Extra as applicable as per VAT Act
Registration No. TIN No. **22511401400**
Address:-
M/s Goupta Agro Impliments,
Sharan Complex, Opp. Deshbandhu English School
Naharpara Station Road
Raipur (C.G.)
7. DELIVERY PERIOD : 30 Days from date of receipt of order.
8. a. ANNUAL TURN OVER/ : 2005-06 - Rs. 4302061.00
2006-07 - Rs. 1714700.00
2007-08 - Rs. 14471018.63
- b. MONETARY LIMIT : Not Mentioned

(S.K. Sonwani)
I/C Marketing -1
For and on behalf of the purchaser
named in CSIDC Form No. 2

- c. INSTALLED CAPACITY : (as per Registration certificate issued by DTIC)
- | Discription | |
|-----------------------|-----------------------|
| Capacity/Annum | Capacity/Annum |
| PVC Wire | 600 MT |
9. SLAB DISCOUNT (IF ANY) : Not Mentioned
10. PRICES : Prices are Firm and Final
11. MINIMUM QUANTITY IN SINGLE SUPPLY ORDER : Not Mentioned
12. STATUS OF RC HOLDING FIRM : Manufacturer-SSI Unit
13. REGISTRATION STATUS : Regn. No. 10/27/19029/PMT/SSI dated 09-07-2001. Issued by DTIC Raipur (C.G.)
14. BIS LICENSE : BIS LICENSE NO.- CM/L-8821181
15. PAYING AUTHORITY : As Mentioned in supply order to be issued by Direct Demanding Officer (DDOs).
16. PAYMENT TERMS : The payment of full 100% of prices of the stores of each consignment there-of will be made after receipt and acceptance of the stores by the consignee/interim consignee in full and good condition within 20 days as per SPR rule No.11, if the bills are in order. In case of delay in payment without any reason the department will be liable to pay interest prevailing as per Bank rate. Bills are to be submitted in the prescribed form of the paying authority of purchaser / indenter and are to be supported with inspection note issued by the inspector and consignee's Receipt Certificate.

(S.K. Sonwani)
 I/C Marketing -1
 For and on behalf of the purchaser
 named in CSIDC Form No. 2

- 17 INSPECTION AUTHORITY : ADG(QA) Director General of Supplies and Disposals , New-Delhi. **OR**
PDIL - Kolkata
- 18 QUALITY ASSURANCE OFFICER : Dy. Director (QA), DGS&D,Bhilai. **OR**
PDIL - Kolkata.
19. PLACE WHERE THE STORES ARE TO BE OFFERED FOR INSPECTION : At Manufacturer's Factory at
M/s Gupta Agro Impliments,
B/H Banjari Temple
Rava Bhata Industrial area
Birgaon Raipur (C.G.)
- 20 INSPECTION CHARGES : **DGS&D**
0.60% Inspection charges + Service Tax @ 12.36% to be paid extra at the time of inspection to Quality Assurance Officer which will be billed by the unit along with bill of the material and will be reimbursed by the paying authority of DDO. **PDIL** 0.33% Inspection charges Including Service Charges to to be paid extra at the time of inspection to Quality Assurance Officer which will be billed by the unit along with bill of the material and will be reimbursed by the paying authority of DDO.
21. SECURITY DEPOSIT : As per General conditions of contract , CSIDC Form No. 1, Clause 7, the Purchaser / DDOs may require the contractor to furnish a security deposit which shall be made after issue of the acceptance of the supply order within the period specified by the purchaser / DDOs . Such security deposit shall not ordinarily exceed 3% . The security shall be in form of Demand Drafts issued by any of the Scheduled Commercial Banks. No other form of security is to be accepted. The security deposit amount is to be refunded after successful completion of the supply.
22. Special Note :
1. Purchasing Departments will ensure pre dispatch inspection of supplied materials
2. Purchasing Departments will be responsible for ensuring the Quality of accepted materials.

(S.K. Sonwani)
I/C Marketing -1
For and on behalf of the purchaser
named in CSIDC Form No. 2

Technical Particular For PVC Aluminium Cable (Small Size)**1 Schedule Non Weather Proof Unarmoured PVC Insulated Al. Conductor Cable**

Specification :

ISI Marked Unarmoured PVC insulated single core cable with aluminium conductor for working voltage upto and including 1100 Volt and conforming to IS 694/90 with amendment number 1 & 2 and of the following sizes. Conductor shall be conforming to IS: 8130/84 table I and table II as applicable.

	Size of the Cable in mm²	Conductor Type
1.	1.5	Solid
2.	2.5	Solid
3.	2.5 3	Strand
4.	4.0	Solid
5.	4.0	3 Strand
6.	4.0 7	Strand
7.	6.0	Solid
8.	6.0 3	Strand
9.	6.0 7	Strand
10.	10.0	Solid
11.	10.0 7	Strand

2 Schedule Weather Proof Unarmoured PVC Insulated, PVC Sheathed Al. Conductor Cable

Specification :

ISI Marked Unarmoured PVC insulated and PVC sheathed cable with aluminium conductor for working voltage upto and including 1100 Volt and conforming to IS 694/90 with amendment number 1 & 2 and of the following sizes. Conductor shall be conforming to IS: 8130/84 table I and table II as applicable.

(S.K. Sonwani)
I/C Marketing -1
For and on behalf of the purchaser
named in CSIDC Form No. 2

	No. of Core	Size of the Cable in mm²	Type of Conductor
1.	Single	1.5	Solid
2.	Single	2.5	Solid
3.	Single	2.5 3	Strand
4.	Single	4.0	Solid
5.	Single	4.0 3	Strand
6.	Single	4.0 7	Strand
7.	Single	6.0	Solid
8.	Single	6.0 3	Strand
9.	Single	6.0 7	Strand
10.	Single	10.0	Solid
11.	Single	10.0 7	Strand
12.	Twin Flat	1.5	Solid
13.	Twin Flat	2.5	Solid
14.	Twin Flat	2.5 3	Strand
15.	Twin Flat	4.0	Solid
16.	Twin Flat	4.0 3	Strand
17.	Twin Flat	4.0 7	Strand
18.	Twin Flat	6.0	Solid
19.	Twin Flat	6.0 3	Strand
20.	Twin Flat	6.0 7	Strand
21.	Twin Flat	10.0	Solid
22.	Twin Flat	10.0 7	Strand
23.	Three Circular	1.5	Solid
24.	Three Circular	2.5	Solid
25.	Three Circular	2.5 3	Strand
26.	Three Circular	4.0	Solid
27.	Three Circular	4.0 3	Strand
28.	Three Circular	4.0 7	Strand
29.	Three Circular	6.0	Solid
30.	Three Circular	6.0 3	Strand
31.	Three Circular	6.0 7	Strand
32.	Three Circular	10.0	Solid
33.	Three Circular	10.0 7	Strand
34.	Four Circular	1.5	Solid
35.	Four Circular	2.5	Solid
36.	Four Circular	2.5 3	Strand
37.	Four Circular	4.0	Solid
38.	Four Circular	4.0 3	Strand
39.	Four Circular	4.0 7	Strand
40.	Four Circular	6.0	Solid
41.	Four Circular	6.0 3	Strand
42.	Four Circular	6.0 7	Strand
43.	Four Circular	10.0	Solid
44.	Four Circular	10.0 7	Strand

INDENTOR TO NOTE :

General Technical requirement For R/C :

1. DDO will place orders for quantity in multiples of standard length (100 meters).
1. The cable shall be supplied in coils of standard length of 100 meters without negative tolerance.
2. Firms shall furnish satisfactory Type Test Report as per the T/E specification for the smallest and the largest size of the cable quoted to the Director(QA) concern at the time of inspection from approved Laboratory. List of approved Laboratory attached. Type test shall include thermal stability test for insulation and sheath.
3. Thermal stability test on insulation and sheath shall be done as additional acceptance test.
4. The type test for insulation properties are to be carried out once in three months at firm's laboratory by DQA concern. In addition complete type test on cable is to be carried out at DGS&D approved laboratory once during the R/C period at firms cost.
5. In addition to the marking requirement as per Clause 17 of IS 694:1990 with amendment No.1 & 2 sequential marking of the length on each meter of the cable shall also be required.

I/C Purchase Section - II
(Marketing)

Technical Particular For PVC(Alum.) Cable (Large Size)**1 Schedule Non Weather Proof Unarmoured PVC Insulated Unsheathed Al. Conductor Cables**

Specification :

ISI marked Non weather proof unarmoured PVC insulated, unsheathed cables for electric power and lighting with stranded aluminium conductor, for working voltage upto and including 1100 Volts conforming to IS:694/90 with amdt. No.1 and 2 and conductors conforming to IS:8130/84 and as per detailed specification

	Number of Cores	Size in Sq .mm
1.	Single	16
2.	Single	25
3.	Single	35
4.	Single	50
5.	Single	70
6.	Single	95
7.	Single	120

2 Schedule Weather Proof Unarmoured PVC Insulated and PVC Sheathed Al. Conductor Cables

Specification :

ISI marked Weather proof unarmoured PVC insulated and PVC sheathed cables for electric power and lighting with stranded aluminium conductor for working voltage upto and including 1100 Volts conforming to IS:694/90 with amdt. No.1 and 2 and conductors conforming to IS:8130/84 and as per detailed specification

	Number of Core	Size in Sq.mm
1.	Single-Sheathed	16
2.	Single-Sheathed	25
3.	Single-Sheathed	35
4.	Single-Sheathed	50
5.	Twin Flat	16
6.	Twin Flat	25
7.	Twin Flat	35
8.	Twin Flat	50
9.	Three Circular	16

10.	Three Circular	25
11.	Three Circular	35
12.	Three Circular	50
13.	Four Circular	16
14.	Four Circular	25
15.	Four Circular	35
16.	Four Circular	50

General Technical requirement For R/C :

DETAILED SPECIFICATION

1. The cable shall be supplied in standard length of 100 meters without negative tolerance. 5% quantity can however be supplied in short length but not less than 45 meters and not more than two non standard length in one reel.
2. Suppliers shall submit complete and satisfactory Type Test Certificate for the smallest and the largest size of the cable quoted to the concerned D(QA) at the time of inspection from any govt. laboratory. Type tests shall include thermal stability test for insulation and sheath. Separate TTC shall be required for weather proof and non weather proof cables.
3. Thermal stability test on insulation and sheath shall be done as additional acceptance test.
4. The type test for insulation properties are to be carried out once in three months at firms laboratory by DQA concern. In addition complete type test on cable is to be carried out at govt. lab once during the R/C period at firm's cost.
5. Sequential marking on every meter of the cable shall be required in addition to the Marking requirement as per IS

I/C Purchase Section - II
(Marketing)

SCHEDULE 'B'
(SPECIAL CONDITIONS OF CONTRACT)
PVC ALUMINIUM CABLE

Special Condition where they differ from the General Conditions Override the latter.

It is advised to Ensure the quality of material and reasonable cost, all accessories of pump sets like PVC 3 core flat cable and control panel shall be procured from the manufacturer of these items only and not from the manufacturers of pump sets.

I/C Purchase Section - II
(Marketing)

SCHEDULE C**LIST OF PARALLEL RATE CONTRACT FOR Aluminum Cable**

S.No.	Name of the Firm	Rate Contract No. and date
1.	M/s Gupta Agro Impliments, Sharan Compex,Opp.Deshbandhu English School,Nehru Para Raipur (C.G.)	Rate Contract No. PS-II/MKD/56/09 GAI / 1610
2.	M/s Prakash Cable Products, Subhash Marg,Surajpur Distt. Surguja (C.G.) Phone No.- 07775-266350/550/750	Rate Contract No. PS-II/MKD/56/09 PCP / 1611
3.	M/s Asian Cable Company, 2, Industrial Estate, Raigarh (C.G.) - 496001 Tel. No.- 07762-222808	Rate Contract No. PS-II/MKD/56/09 ACC / 1612
4.	M/s Rishabh Industries Bus Stand,Baster Road Distt.- DHAMTARI (C.G.) - 493773 Fax No.- 07722 – 237525	Rate Contract No. PS-II/MKD/56/09 Near Old RI / 1613
5.	M/s. Shri Siddhi Vinayak Industry 75 / A Industrial Area Polo Ground Indore (M.P.)	Rate Contract No. PS-II/MKD/56/09 SVI / 1614

I/C Purchase Section - II
(Marketing)

SCHEDULE - D**FORMAT FOR QUATERLY DRAWAL REPORT**

Name of the Firm _____ Jan-Mar
 Report No. _____ Apr-June
 Rate Contract No. _____ July-Sept.

Date of Submission _____ **Oct - Dec**

Total Position of Order against Rate Contract till the submission of Report.

S.No.	Name of Department	Quantity and Value of Orders Received (Rs.)	Quantity and Value of Orders Executed (Rs.)	Balance Quantity and Value to be Supplied (Rs.)	Reasons

- Foot 1. Value indicate should be Total value inclusive of all Taxes duties and incidental Charges
2. Nil report should also be Submitted.
- a) Value of orders received during the quarter-Rs.
 b) Value of orders supplied during the quarter-Rs.

I/C Purchase Section - II
 (Marketing)



Chhattisgarh State Industrial Development Corporation Limited

(A Government of Chhattisgarh Undertaking)
LIC Campus, Pandri Raipur 492 004 (C.G)
Phone 91-771-2583789-90, Fax : 91-771-2583794, 4091879
Website: www.csidc.in, Email : csidc.cg@nic.in, csidc_raipur@yahoo.com

No./CSIDC/MKD/PS-II/07-08/

Raipur, Dated : 18-08-2009

Registered A/D

Rate Contract No. PS-II/MKD/56/09/PCP/1611

Dated: 18-08-2009

To ,

M/s Prakash Cable Products
SubhashMarg Surajpur,
Dist. Surguja (C.G.)
Phone No.07775-266350
07775-266750

FOR OFFICE USE ONLY

Sub :- Rate Contract for the supply of **Aluminum Cable (Valid From 18-08-09 to 17-08-2010)**

Ref :- (I) This Office Tender Enquiry No. PS-II/MKD/56/09, and

(I) Financial Bid opened on date. 01-06-09

(III) Your Offer acceptance along with agreement submitted by you on 03-08-2009

Dear Sir,

You are hereby informed that your above referred tender read with subsequent letters mentioned above for the Stores specified in the Schedules annexed has been accepted. This rate contract will be governed by the terms and conditions brought in CSIDC Form No.1 & 2 . The Rate Contract and the Schedules annexed hereto shall be the sole repository of this Rate Contract / Transaction .

You are required to show the original **INK-SIGNED** subject Rate Contract to the satisfaction of Direct Demanding Officer who will place the supply order as per instructions contained in CSIDC form No. 2 and also to the Quality Assurance Officer for inspection purpose and to the paying authority at the time of getting the payment .

SCHEDULES ANNEXED :

1. Schedule "A" Description of Stores, Prices, Duties/Taxes .
2. Annexure -"A" Technical Particulars of **Aluminum Cable**
3. Schedule "B" Special conditions of contract (if any).
4. Schedule "C" Information to DDOs about parallel rate contracts.
5. Schedule "D" Format for Drawal Report.

Yours faithfully,

(S.K. Sonwani)

I/C Marketing -1

For and on behalf of the purchaser
named in CSIDC Form No. 2

Copy To,

1. Secretary, Chhattisgarh Vidhan Sabha ,Raipur .
2. Registrar, Honourable High court Chhattisgarh, Bilaspur .
3. Accountant General Chhattisgarh State .
4. All HODs of Chhattisgarh Govt. with request to circulate the copy of R/C to all Authorized officers to operate R/C as Direct Demanding Officer **& also to send the copy of purchase order issued by DDO by registered mail to this office.**
5. All Collectors ,Chhattisgarh State .
6. Director Treasury with request to circulate copy of R/C to all branches under your control .
7. Dy.Director (Q.A.), DGS&D, Bhilai.
8. PDIL Kolkata
 - Sr. No. 1 to 7 are requested to call for original INK-SIGNED Rate Contract for verification to their full satisfaction including validity of various documents like Registration, Tax Registration etc. before taking action i.e. release of supply order, inspection of stores, payment of bill whichever is applicable, as the responsibility rests with the concerned authority **You are requested to send the Inspection Report to this office.**
9. Manager (A/c) ,CSIDC (Mkt. Division). He is requested to maintain a master file of Rate Contract .
10. Computer cell Marketing Division, CSIDC Ltd. Raipur to release Rate Contract on CSIDC website.
11. Main file of **Aluminum Cable** .

(S.K. Sonwani)
I/C Marketing -1
For and on behalf of the purchaser
named in CSIDC Form No. 2

SCHEDULE 'A'For the supply of **Aluminum Cable** as per annexure 'A' enclosed.

1. (a) NAME AND FULL ADDRESS OF THE FIRM :- M/s Prakash Cable Products
SubhashMarg Surajpur,
Dist. Surguja (C.G.)
Phone No.07775-266350
07775-266750
- (b) NAME AND FULL ADDRESS OF MANUFACTURER :- M/s Prakash Cable Products
SubhashMarg Surajpur,
Dist. Surguja (C.G.)
Phone No.07775-266350
2. VALIDITY OF RATE CONTRACT :- **From 18-08-09 to 17-08-2010**
4. DESCRIPTION OF ITEM, **Aluminum Cable**, SPECIFICATION, UNIT RATE/Mtr.

Serial No.	Sub Item Code No.	Item Description	Rate FOR Destination Excluding ED. & VAT As Applicable (Unit Rate/Mtr)
Schedule -3			
Non Weather proof Unarmored PVC insulated AL. Conductor Size of the Cable in mm² / Conductor Type			
1	PVCALC065024	1.5 Solid	1.28
2	PVCALC065025	2.5 Solid	1.82
3	PVCALC065026	2.5 Three Strand	1.91
4	PVCALC065027	4 Solid	2.73
5	PVCALC065028	4 Three Strand	3.00
6	PVCALC065029	4 Seven Strand	3.08
7	PVCALC065030	6 Solid	3.78
8	PVCALC065031	6 Three Strand	3.91
9	PVCALC065032	6 Seven Strand	4.03
10	PVCALC065033	10 Solid	5.66
11	PVCALC065034	10 Seven Strand	6.63

(S.K.Sonwani)
I/C Marketing -1
For and on behalf of the purchaser
named in CSIDC Form No. 2

Schedule -4			
Weather proof Unarmored PVC insulated and PVC Sheathed Al No. of Core / Size of the Cable in mm² Type of Conductor			
12	PVCALC065035	Single Solid 1.5	1.83
13	PVCALC065036	Single Solid 2.5	2.69
14	PVCALC065037	Single 3 Strand 2.5	3.27
15	PVCALC065038	Single Solid 4	4.09
16	PVCALC065039	Single 3 Strand 4	4.18
17	PVCALC065040	Single Seven Solid 4	3.51
18	PVCALC065041	Single Solid 6	4.59
19	PVCALC065042	Single 3 Strand 6	5.58
20	PVCALC065043	Single Seven Strand 6	5.58
21	PVCALC065044	Single Solid 10	7.55
22	PVCALC065045	Single Seven Strand 10	8.81

Note:-Technical particulars as per Annexure A enclosed.

4. TERMS OF DELIVERY : F. O. R Destination (Any where in C.G.State)
5. EXCISE DUTY : Extra as Applicable
6. SALES TAX : VAT Extra as applicable as per VAT Act
Registration No. TIN No. **22825000560**
Address:-
M/s Prakash Cable Products
SubhashMarg Surajpur,
7. DELIVERY PERIOD : 30 Days from date of receipt of order .
8. a. ANNUAL TURN OVER/ : 2004-05 - Rs. 1429368.00
2005-06 - Rs. 2933271.00
2006-07 - Rs. 5629240.00
- b. MONETARY LIMIT : Not Mentioned
- c. INSTALLED CAPACITY : (as per Registration certificate issued by DTIC)
Discription : **Capacity/Annum**
All Types of PVC Cable (insulated) 108000 Coil
Or (1080 MT)
9. SLAB DISCOUNT (IF ANY) : Not Mentioned
10. PRICES : Prices are Firm and Final
11. MINIMUM QUANTITY IN SINGLE SUPPLY ORDER : Not Mentioned
12. STATUS OF RC HOLDING FIRM : Manufacturer-SSI Unit

(S.K.Sonwani)
I/C Marketing -1
For and on behalf of the purchaser
named in CSIDC Form No. 2

13. REGISTRATION STATUS : Regn. No. DTIC/10/40/16672/PMT/SSI dated 19-06-2000
Issued by DTIC Suguja (C.G.)
14. BIS LICENSE : BIS LICENSE NO.- CM/L-8428987.
15. PAYING AUTHORITY : As Mentioned in supply order to be issued by Direct Demanding Officer (DDOs).
16. PAYMENT TERMS : The payment of full 100% of prices of the stores of each consignment there-of will be made after receipt and acceptance of the stores by the consignee/interim consignee in full and good condition within 20 days as per SPR rule No.11, if the bills are in order. In case of delay in payment without any reason the department will be liable to pay interest prevailing as per Bank rate. Bills are to be submitted in the prescribed form of the paying authority of purchaser / indenter and are to be supported with inspection note issued by the inspector and consignee's Receipt Certificate .
17. INSPECTION AUTHORITY : ADG(QA) Director General of Supplies and Disposals , New-Delhi. **OR**
PDIL - Kolkata
18. QUALITY ASSURANCE OFFICER : Dy. Director (QA), DGS&D,Bhilai. **OR**
PDIL - Kolkata
19. PLACE WHERE THE STORES ARE TO BE OFFERED FOR INSPECTION : At Manufacturer's Factory at
M/s Prakash Cable Products
SubhashMarg Surajpur,
Dist. Surguja (C.G.)
Phone No.07775-266350
07775-266750
20. INSPECTION CHARGES : **DGS&D**
0.60% Inspection charges + Service Tax @ 12.36% to be paid extra at the time of inspection to Quality Assurance Officer which will be billed by the unit along with bill of the material and will be reimbursed by the paying authority of DDO.
PDIL
0.33% Inspection charges Including Service Charges to be paid extra at the time of inspection to Quality Assurance Officer which will be billed by the unit along with bill of the material and will be reimbursed by the paying authority of DDO.

(S.K.Sonwani)

I/C Marketing -1

For and on behalf of the purchaser
named in CSIDC Form No. 2

21. SECURITY DEPOSIT : As per General conditions of contract , CSIDC Form No. 1, Clause 7, the Purchaser / DDOs may require the contractor to furnish a security deposit which shall be made after issue of the acceptance of the supply order within the period specified by the purchaser / DDOs . Such security deposit shall not ordinarily exceed 3% . The security shall be in form of Demand Drafts issued by any of the Scheduled Commercial Banks. No other form of security is to be accepted. The security deposit amount is to be refunded after successful completion of the supply.
22. Special Note
1. Purchasing Departments will ensure pre dispatch inspection of supplied materials
 2. Purchasing Departments will be responsible for ensuring the Quality of accepted materials.

(S.K.Sonwani)
I/C Marketing -1
For and on behalf of the purchaser
named in CSIDC Form No. 2

Annexure 'B'**Technical Particular For PVC Aluminium Cable (Small Size)****1 Schedule Non Weather Proof Unarmoured PVC Insulated Al.
Conductor Cable**

Specification :

ISI Marked Unarmoured PVC insulated single core cable with aluminium conductor for working voltage upto and including 1100 Volt and conforming to IS 694/90 with amendment number 1 & 2 and of the following sizes. Conductor shall be conforming to IS: 8130/84 table I and table II as applicable.

	Size of the Cable in mm²	Conductor Type
1.	1.5	Solid
2.	2.5	Solid
3.	2.5 3	Strand
4.	4.0	Solid
5.	4.0	3 Strand
6.	4.0 7	Strand
7.	6.0	Solid
8.	6.0 3	Strand
9.	6.0 7	Strand
10.	10.0	Solid
11.	10.0 7	Strand

**2 Schedule Weather Proof Unarmoured PVC Insulated, PVC Sheathed Al.
Conductor Cable**

Specification :

ISI Marked Unarmoured PVC insulated and PVC sheathed cable with aluminium conductor for working voltage upto and including 1100 Volt and conforming to IS 694/90 with amendment number 1 & 2 and of the following sizes. Conductor shall be conforming to IS: 8130/84 table I and table II as applicable.

(S.K. Sonwani)
I/C Marketing -1
For and on behalf of the purchaser
named in CSIDC Form No. 2

	No. of Core	Size of the Cable in mm²	Type of Conductor
1.	Single	1.5	Solid
2.	Single	2.5	Solid
3.	Single	2.5 3	Strand
4.	Single	4.0	Solid
5.	Single	4.0 3	Strand
6.	Single	4.0 7	Strand
7.	Single	6.0	Solid
8.	Single	6.0 3	Strand
9.	Single	6.0 7	Strand
10.	Single	10.0	Solid
11.	Single	10.0 7	Strand
12.	Twin Flat	1.5	Solid
13.	Twin Flat	2.5	Solid
14.	Twin Flat	2.5 3	Strand
15.	Twin Flat	4.0	Solid
16.	Twin Flat	4.0 3	Strand
17.	Twin Flat	4.0 7	Strand
18.	Twin Flat	6.0	Solid
19.	Twin Flat	6.0 3	Strand
20.	Twin Flat	6.0 7	Strand
21.	Twin Flat	10.0	Solid
22.	Twin Flat	10.0 7	Strand
23.	Three Circular	1.5	Solid
24.	Three Circular	2.5	Solid
25.	Three Circular	2.5 3	Strand
26.	Three Circular	4.0	Solid
27.	Three Circular	4.0 3	Strand
28.	Three Circular	4.0 7	Strand
29.	Three Circular	6.0	Solid
30.	Three Circular	6.0 3	Strand
31.	Three Circular	6.0 7	Strand
32.	Three Circular	10.0	Solid
33.	Three Circular	10.0 7	Strand
34.	Four Circular	1.5	Solid
35.	Four Circular	2.5	Solid
36.	Four Circular	2.5 3	Strand
37.	Four Circular	4.0	Solid

38.	Four Circular	4.0 3	Strand
39.	Four Circular	4.0 7	Strand
40.	Four Circular	6.0	Solid
41.	Four Circular	6.0 3	Strand
42.	Four Circular	6.0 7	Strand
43.	Four Circular	10.0	Solid
44.	Four Circular	10.0 7	Strand

INDENTOR TO NOTE :

General Technical requirement For R/C :

1. DDO will place orders for quantity in multiples of standard length (100 meters).

1. The cable shall be supplied in coils of standard length of 100 meters without negative tolerance.
2. Firms shall furnish satisfactory Type Test Report as per the T/E specification for the smallest and the largest size of the cable quoted to the Director(QA) concern at the time of inspection from approved Laboratory. List of approved Laboratory attached. Type test shall include thermal stability test for insulation and sheath.
3. Thermal stability test on insulation and sheath shall be done as additional acceptance test.
4. The type test for insulation properties are to be carried out once in three months at firm's laboratory by DQA concern. In addition complete type test on cable is to be carried out at DGS&D approved laboratory once during the R/C period at firms cost.
5. In addition to the marking requirement as per Clause 17 of IS 694:1990 with amendment No.1 & 2 sequential marking of the length on each meter of the cable shall also be required.

I/C Purchase Section - II
(Marketing)

Technical Particular For PVC(Alum.) Cable (Large Size)**1 Schedule Non Weather Proof Unarmoured PVC Insulated Unsheathed Al. Conductor Cables**

Specification :

ISI marked Non weather proof unarmoured PVC insulated, unsheathed cables for electric power and lighting with stranded aluminium conductor, for working voltage upto and including 1100 Volts conforming to IS:694/90 with amdt. No.1 and 2 and conductors conforming to IS:8130/84 and as per detailed specification

	Number of Cores	Size in Sq .mm
1.	Single	16
2.	Single	25
3.	Single	35
4.	Single	50
5.	Single	70
6.	Single	95
7.	Single	120

2 Schedule Weather Proof Unarmoured PVC Insulated and PVC Sheathed Al. Conductor Cables

Specification :

ISI marked Weather proof unarmoured PVC insulated and PVC sheathed cables for electric power and lighting with stranded aluminium conductor for working voltage upto and including 1100 Volts conforming to IS:694/90 with amdt. No.1 and 2 and conductors conforming to IS:8130/84 and as per detailed specification

	Number of Core	Size in Sq.mm
1.	Single-Sheathed	16
2.	Single-Sheathed	25
3.	Single-Sheathed	35
4.	Single-Sheathed	50
5.	Twin Flat	16
6.	Twin Flat	25
7.	Twin Flat	35
8.	Twin Flat	50
9.	Three Circular	16

10.	Three Circular	25
11.	Three Circular	35
12.	Three Circular	50
13.	Four Circular	16
14.	Four Circular	25
15.	Four Circular	35
16.	Four Circular	50

General Technical requirement For R/C :

DETAILED SPECIFICATION

1. The cable shall be supplied in standard length of 100 meters without negative tolerance. 5% quantity can however be supplied in short length but not less than 45 meters and not more than two non standard length in one reel.
2. Suppliers shall submit complete and satisfactory Type Test Certificate for the smallest and the largest size of the cable quoted to the concerned D(QA) at the time of inspection from any govt. laboratory. Type tests shall include thermal stability test for insulation and sheath. Separate TTC shall be required for weather proof and non weather proof cables.
3. Thermal stability test on insulation and sheath shall be done as additional acceptance test.
4. The type test for insulation properties are to be carried out once in three months at firms laboratory by DQA concern. In addition complete type test on cable is to be carried out at govt. lab once during the R/C period at firm's cost.
5. Sequential marking on every meter of the cable shall be required in addition to the Marking requirement as per IS

I/C Purchase Section - II
(Marketing)

SCHEDULE 'B'
(SPECIAL CONDITIONS OF CONTRACT)
PVC ALUMINIUM CABLE

Special Condition where they differ from the General Conditions Override the latter.

It is advised to Ensure the quality of material and reasonable cost, all accessories of pump sets like PVC 3 core flat cable and control panel shall be procured from the manufacturer of these items only and not from the manufacturers of pump sets.

I/C Purchase Section - II
(Marketing)

SCHEDULE C**LIST OF PARALLEL RATE CONTRACT FOR Aluminum Cable**

S.No.	Name of the Firm	Rate Contract No. and date
1.	M/s Gupta Agro Impliments, Sharan Compex,Opp.Deshbandhu English School,Nehru Para Raipur (C.G.)	Rate Contract No. PS-II/MKD/56/09 GAI / 1610
2.	M/s Prakash Cable Products, Subhash Marg,Surajpur Distt. Surguja (C.G.) Phone No.- 07775-266350/550/750	Rate Contract No. PS-II/MKD/56/09 PCP / 1611
3.	M/s Asian Cable Company, 2, Industrial Estate, Raigarh (C.G.) - 496001 Tel. No.- 07762-222808	Rate Contract No. PS-II/MKD/56/09 ACC / 1612
4.	M/s Rishabh Industries Near Old Bus Stand,Baster Road Distt.- DHAMTARI (C.G.) - 493773 Fax No.- 07722 - 237525	Rate Contract No. PS-II/MKD/56/09 RI / 1613
5.	M/s. Shri Siddhi Vinayak Industry 75 / A Industrial Area Polo Ground Indore (M.P.)	Rate Contract No. PS-II/MKD/56/09 SVI / 1614

I/C Purchase Section - II
(Marketing)

SCHEDULE - D**FORMAT FOR QUATERLY DRAWAL REPORT**

Name of the Firm _____ Jan-Mar
 Report No. _____ Apr-June
 Rate Contract No. _____ July-Sept.

Date of Submission _____ **Oct - Dec**

Total Position of Order against Rate Contract till the submission of Report.

S.No.	Name of Department	Quantity and Value of Orders Received (Rs.)	Quantity and Value of Orders Executed (Rs.)	Balance Quantity and Value to be Supplied (Rs.)	Reasons

- Foot 1. Value indicate should be Total value inclusive of all Taxes duties and incidental Charges
2. Nil report should also be Submitted.
- a) Value of orders received during the quarter-Rs.
 b) Value of orders supplied during the quarter-Rs.

I/C Purchase Section - II
 (Marketing)



Chhattisgarh State Industrial Development Corporation Limited

(A Government of Chhattisgarh Undertaking)
LIC Campus, Pandri Raipur 492 004 (C.G)
Phone 91-771-2583789-90, Fax : 91-771-2583794, 4091879
Website: www.csidc.in, Email : csidc.cg@nic.in, csidc_raipur@yahoo.com

No./CSIDC/MKD/PS-II/07-08/

Raipur, Dated : 18-08-2009

Registered A/D

Rate Contract No. PS-II/MKD/56/09/ACC/1612

Dated: 18-08-2009

To ,

M/s Asian Cable Company,
2,Industrial Eastat,
Raigarh-496001
Tel. No.- 07762-222808
Fax No.- 07762 - 225499

FOR OFFICE USE ONLY

Sub :- Rate Contract for the supply of **Aluminum Cable (Valid From 18-08-09 to 17-08-2010)**

Ref :- (I) This Office Tender Enquiry No. PS-II/MKD/56/09, and

(I) Financial Bid opened on date. 01-06-09

(III)Your Offer acceptance along with agreement submitted by you on 03-08-2009

Dear Sir,

You are hereby informed that your above referred tender read with subsequent letters mentioned above for the Stores specified in the Schedules annexed has been accepted. This rate contract will be governed by the terms and conditions brought in CSIDC Form No.1 & 2 . The Rate Contract and the Schedules annexed hereto shall be the sole repository of this Rate Contract / Transaction .

You are required to show the original **INK-SIGNED** subject Rate Contract to the satisfaction of Direct Demanding Officer who will place the supply order as per instructions contained in CSIDC form No. 2 and also to the Quality Assurance Officer for inspection purpose and to the paying authority at the time of getting the payment .

SCHEDULES ANNEXED :

1. Schedule "A" Description of Stores, Prices, Duties/Taxes .
2. Annexure -"A" Technical Particulars of **Aluminum Cable** .
3. Schedule "B" Special conditions of contract (if any).
4. Schedule "C" Information to DDOs about parallel rate contracts.
5. Schedule "D" Format for Drawl Report.

Yours faithfully,

(S.K. Sonwani)
I/C Marketing -1
(Marketing and Export Promotion)
For and on behalf of the purchaser
named in CSIDC Form No. 2

Copy To,

1. Secretary, Chhattisgarh Vidhan Sabha ,Raipur .
2. Registrar, Honourable High court Chhattisgarh, Bilaspur .
3. Accountant General Chhattisgarh State .
4. All HODs of Chhattisgarh Govt. with request to circulate the copy of R/C to all Authorized officers to operate R/C as Direct Demanding Officer **& also to send the copy of purchase order issued by DDO by registered mail to this office.**
5. All Collectors ,Chhattisgarh State .
6. Director Treasury with request to circulate copy of R/C to all branches under your control .
7. Dy.Director (Q.A.), DGS&D, Bhilai.
8. PDIL Kolkata
 - Sr. No. 1 to 7 are requested to call for original INK-SIGNED Rate Contract for verification to their full satisfaction including validity of various documents like Registration, Tax Registration etc. before taking action i.e. release of supply order, inspection of stores, payment of bill whichever is applicable, as the responsibility rests with the concerned authority **You are requested to send the Inspection Report to this office.**
9. Manager (A/c) ,CSIDC (Mkt. Division). He is requested to maintain a master file of Rate Contract .
10. Computer cell Marketing Division, CSIDC Ltd. Raipur to release Rate Contract on CSIDC website.
11. Main file of **Aluminum Cable** .

(S.K. Sonwani)
I/C Marketing -1
For and on behalf of the purchaser
named in CSIDC Form No. 2

SCHEDULE 'A'

For the supply of **Aluminum Cable** as per annexure 'A' enclosed.

1. (a) NAME AND FULL ADDRESS OF THE FIRM :- M/s Asian Cable Company,
2,Industrial Eastat,
Raigarh-496001
Tel. No.- 07762-222808
Fax No.- 07762 - 225499
- (b) NAME AND FULL ADDRESS OF MANUFACTURER :- M/s Asian Cable Company,
2,Industrial Eastat,
Raigarh-496001
Tel. No.- 07762-222808
Fax No.- 07762 - 225499
2. VALIDITY OF RATE CONTRACT :- **From 18-08-09 to 17-08-2010**
5. DESCRIPTION OF ITEM, **Aluminum Cable** , SPECIFICATION, UNIT RATE/Mtr.

Serial No.	Sub Item Code No.	Item Description	Rate FOR Destination Excluding ED. & VAT As Applicable (Unit Rate/Mtr)
Schedule-3			
Non Weather proof Unarmoured PVC insulated Al. Conductor Size of the Cable in mm² / Conductor Type			
1	PVCALC065024	1.5 Solid	1.28
2	PVCALC065025	2.5 Solid	1.82
3	PVCALC065026	2.5 Three Strand	1.91
4	PVCALC065027	4 Solid	2.73
5	PVCALC065028	4 Three Strand	3.00
6	PVCALC065029	4 Seven Strand	3.08
7	PVCALC065030	6 Solid	3.78
8	PVCALC065031	6 Three Strand	3.91
9	PVCALC065032	6 Seven Strand	4.03
10	PVCALC065033	10 Solid	5.66
11	PVCALC065034	10 Seven Strand	6.63

(S.K. Sonwani)
I/C Marketing -1
For and on behalf of the purchaser
named in CSIDC Form No. 2

Schedule-4			
Weather proof Unarmoured PVC insulated and PVC Sheathed Al. No. of Core / Size of the Cable in mm2 / Type of Conductor			
12	PVCALC065035	Single Solid 1.5	1.83
13	PVCALC065036	Single Solid 2.5	2.69
14	PVCALC065037	Single 3 Strand 2.5	3.27
15	PVCALC065038	Single Solid 4	4.09
16	PVCALC065039	Single 3 Strand 4	4.18
17	PVCALC065040	Single Seven Solid 4	3.51
18	PVCALC065041	Single Solid 6	4.59
19	PVCALC065042	Single 3 Strand 6	5.58
20	PVCALC065043	Single Seven Strand 6	5.58
21	PVCALC065044	Single Solid 10	7.55
22	PVCALC065045	Single Seven Strand 10	8.81

Note:-Technical particulars as per Annexure A enclosed.

4. TERMS OF DELIVERY : F. O. R Destination (Any where in C.G.State)
5. EXCISE DUTY : Extra as applicable
6. SALES TAX : Sales Tax Extra as applicable as per VAT Act
Registration No. TIN No. **22304900742**
Address:-
M/s Asian Cable Company
Chakradhar Nagar Raigarh.
7. DELIVERY PERIOD : 30 Days from date of receipt of order .
8. a. ANNUAL TURN OVER/ : 2004-05 - Rs. 1267394.00
2005-06 - Rs. 4446724.00
2006-07 - Rs. 6144991.00
- b. MONETARY LIMIT : Not Mentioned

(S.K.Sonwani)
I/C Marketing -1
For and on behalf of the purchaser
named in CSIDC Form No. 2

c.	INSTALLED CAPACITY	:	(as per Registration certificate issued by DTIC)
	Discription		Capacity/Annum
	-		PVC.& CTS Wire 15000 coil
			Drope Wire,Jumpes wire, 90000 coil
			Telephone pair cable & Short firing cable
	-		PVC Wire & Cable,Drop wire,Jumpes 240 MT
			Telephone Wire,Telephone Pair cable , (PVC
			Processing
			Shot firing cable Flexible trailing cable, capacity in single
			Drill Trailing Cable ,SDL Drill Shiftt
			Trailing Cable
	-		Three core Flate cable SDL Drill
			trailing Cable (3 core,4core,fround Cable)
	-		PVC insulated Cable
			(a) Armoured & Unaroured Cable } 84MT
			(b) Multicore Round Cable }
9.	SLAB DISCOUNT (IF ANY)	:	Not Mentioned
10.	PRICES	:	Prices are Firm and Final
11.	MINIMUM QUANTITY IN SINGLE SUPPLY ORDER	:	Not Mentioned
12.	STATUS OF RC HOLDING FIRM	:	Manufacturer-SSI Unit
13.	REGISTRATION STATUS	:	DTIC Regn. No. SSI/DI/MP/RGH/70/37/67 dated 09-05-1967 . Issued by DTIC Raigarh (C.G.)
14.	BIS LICENSE	:	BIS LICENSE NO.- CM/L-8478804.
15.	PAYING AUTHORITY	:	As Mentioned in supply order to be issued by Direct Demanding Officer (DDOs).
16.	PAYMENT TERMS	:	The payment of full 100% of prices of the stores of each consignment there-of will be made after receipt and acceptance of the stores by the consignee/interim consignee in full and good condition within 20 days as per SPR rule No.11, if the bills are in order. In case of delay in payment without any reason the department will be liable to pay interest prevailing as per Bank rate. Bills are to be submitted in the prescribed form of the paying authority of purchaser / indenter and are to be supported with inspection note issued by the inspector and consignee's Receipt Certificate .

(S.K.Sonwani)
I/C Marketing -1
For and on behalf of the purchaser
 named in CSIDC Form No. 2

- 17 INSPECTION AUTHORITY : ADG(QA) Director General of Supplies and Disposals , New-Delhi. **OR**
PDIL - Kolkata
- 18 QUALITY ASSURANCE OFFICER : Dy. Director (QA), DGS&D,Bhilai. **OR**
PDIL - Kolkata
19. PLACE WHERE THE STORES ARE TO BE OFFERED FOR INSPECTION : At Manufacturer's Factory at
M/s Asian Cable Company,
2,Industrial Eastat
Raigarh-496001
Tel. No.- 07762-222808
- 20 INSPECTION CHARGES : **DGS&D**
0.60% Inspection charges + Service Tax @ 12.36% to be paid extra at the time of inspection to Quality Assurance Officer which will be billed by the unit along with bill of the material and will be reimbursed by the paying authority of DDO.
PDIL
0.33% Inspection charges Including Service Charges to be paid extra at the time of inspection to Quality Assurance Officer which will be billed by the unit along with bill of the material and will be reimbursed by the paying authority of DDO.
21. SECURITY DEPOSIT : As per General conditions of contract , CSIDC Form No. 1, Clause 7, the Purchaser / DDOs may require the contractor to furnish a security deposit which shall be made after issue of the acceptance of the supply order within the period specified by the purchaser / DDOs . Such security deposit shall not ordinarily exceed 3% . The security shall be in form of Demand Drafts issued by any of the Scheduled Commercial Banks. No other form of security is to be accepted. The security deposit amount is to be refunded after successful completion of the supply.
22. Special Note :
1. Purchasing Departments will ensure pre dispatch inspection of supplied materials
2. Purchasing Departments will be responsible for ensuring the Quality of accepted materials.

(S.K.Sonwani)
I/C Marketing -1
For and on behalf of the purchaser
named in CSIDC Form No. 2

Annexure 'B'**Technical Particular For PVC Aluminium Cable (Small Size)****1 Schedule Non Weather Proof Unarmoured PVC Insulated Al.
Conductor Cable**

Specification :

ISI Marked Unarmoured PVC insulated single core cable with aluminium conductor for working voltage upto and including 1100 Volt and conforming to IS 694/90 with amendment number 1 & 2 and of the following sizes. Conductor shall be conforming to IS: 8130/84 table I and table II as applicable.

	Size of the Cable in mm²	Conductor Type
1.	1.5	Solid
2.	2.5	Solid
3.	2.5 3	Strand
4.	4.0	Solid
5.	4.0	3 Strand
6.	4.0 7	Strand
7.	6.0	Solid
8.	6.0 3	Strand
9.	6.0 7	Strand
10.	10.0	Solid
11.	10.0 7	Strand

**2 Schedule Weather Proof Unarmoured PVC Insulated, PVC Sheathed Al.
Conductor Cable**

Specification :

ISI Marked Unarmoured PVC insulated and PVC sheathed cable with aluminium conductor for working voltage upto and including 1100 Volt and conforming to IS 694/90 with amendment number 1 & 2 and of the following sizes. Conductor shall be conforming to IS: 8130/84 table I and table II as applicable.

	No. of Core	Size of the Cable in mm²	Type of Conductor
1.	Single	1.5	Solid
2.	Single	2.5	Solid
3.	Single	2.5 3	Strand
4.	Single	4.0	Solid

I/C Purchase Section - II
(Marketing)

5.	Single	4.0 3	Strand
6.	Single	4.0 7	Strand
7.	Single	6.0	Solid
8.	Single	6.0 3	Strand
9.	Single	6.0 7	Strand
10.	Single	10.0	Solid
11.	Single	10.0 7	Strand
12.	Twin Flat	1.5	Solid
13.	Twin Flat	2.5	Solid
14.	Twin Flat	2.5 3	Strand
15.	Twin Flat	4.0	Solid
16.	Twin Flat	4.0 3	Strand
17.	Twin Flat	4.0 7	Strand
18.	Twin Flat	6.0	Solid
19.	Twin Flat	6.0 3	Strand
20.	Twin Flat	6.0 7	Strand
21.	Twin Flat	10.0	Solid
22.	Twin Flat	10.0 7	Strand
23.	Three Circular	1.5	Solid
24.	Three Circular	2.5	Solid
25.	Three Circular	2.5 3	Strand
26.	Three Circular	4.0	Solid
27.	Three Circular	4.0 3	Strand
28.	Three Circular	4.0 7	Strand
29.	Three Circular	6.0	Solid
30.	Three Circular	6.0 3	Strand
31.	Three Circular	6.0 7	Strand
32.	Three Circular	10.0	Solid
33.	Three Circular	10.0 7	Strand
34.	Four Circular	1.5	Solid
35.	Four Circular	2.5	Solid
36.	Four Circular	2.5 3	Strand
37.	Four Circular	4.0	Solid
38.	Four Circular	4.0 3	Strand
39.	Four Circular	4.0 7	Strand
40.	Four Circular	6.0	Solid
41.	Four Circular	6.0 3	Strand
42.	Four Circular	6.0 7	Strand
43.	Four Circular	10.0	Solid
44.	Four Circular	10.0 7	Strand

INDENTOR TO NOTE :

General Technical requirement For R/C :

1. DDO will place orders for quantity in multiples of standard length (100 meters).
1. The cable shall be supplied in coils of standard length of 100 meters without negative tolerance.
2. Firms shall furnish satisfactory Type Test Report as per the T/E specification for the smallest and the largest size of the cable quoted to the Director(QA) concern at the time of inspection from approved Laboratory. List of approved Laboratory attached. Type test shall include thermal stability test for insulation and sheath.
3. Thermal stability test on insulation and sheath shall be done as additional acceptance test.
4. The type test for insulation properties are to be carried out once in three months at firm's laboratory by DQA concern. In addition complete type test on cable is to be carried out at DGS&D approved laboratory once during the R/C period at firms cost.
5. In addition to the marking requirement as per Clause 17 of IS 694:1990 with amendment No.1 & 2 sequential marking of the length on each meter of the cable shall also be required.

I/C Purchase Section - II
(Marketing)

Technical Particular For PVC(Alum.) Cable (Large Size)**1 Schedule Non Weather Proof Unarmoured PVC Insulated Unsheathed Al. Conductor Cables**

Specification :

ISI marked Non weather proof unarmoured PVC insulated, unsheathed cables for electric power and lighting with stranded aluminium conductor, for working voltage upto and including 1100 Volts conforming to IS:694/90 with amdt. No.1 and 2 and conductors conforming to IS:8130/84 and as per detailed specification

	Number of Cores	Size in Sq .mm
1.	Single	16
2.	Single	25
3.	Single	35
4.	Single	50
5.	Single	70
6.	Single	95
7.	Single	120

2 Schedule Weather Proof Unarmoured PVC Insulated and PVC Sheathed Al. Conductor Cables

Specification :

ISI marked Weather proof unarmoured PVC insulated and PVC sheathed cables for electric power and lighting with stranded aluminium conductor for working voltage upto and including 1100 Volts conforming to IS:694/90 with amdt. No.1 and 2 and conductors conforming to IS:8130/84 and as per detailed specification

	Number of Core	Size in Sq.mm
1.	Single-Sheathed	16
2.	Single-Sheathed	25
3.	Single-Sheathed	35
4.	Single-Sheathed	50
5.	Twin Flat	16
6.	Twin Flat	25
7.	Twin Flat	35
8.	Twin Flat	50
9.	Three Circular	16

10.	Three Circular	25
11.	Three Circular	35
12.	Three Circular	50
13.	Four Circular	16
14.	Four Circular	25
15.	Four Circular	35
16.	Four Circular	50

General Technical requirement For R/C :

DETAILED SPECIFICATION

1. The cable shall be supplied in standard length of 100 meters without negative tolerance. 5% quantity can however be supplied in short length but not less than 45 meters and not more than two non standard length in one reel.
2. Suppliers shall submit complete and satisfactory Type Test Certificate for the smallest and the largest size of the cable quoted to the concerned D(QA) at the time of inspection from any govt. laboratory. Type tests shall include thermal stability test for insulation and sheath. Separate TTC shall be required for weather proof and non weather proof cables.
3. Thermal stability test on insulation and sheath shall be done as additional acceptance test.
4. The type test for insulation properties are to be carried out once in three months at firms laboratory by DQA concern. In addition complete type test on cable is to be carried out at govt. lab once during the R/C period at firm's cost.
5. Sequential marking on every meter of the cable shall be required in addition to the Marking requirement as per IS

I/C Purchase Section - II
(Marketing)

SCHEDULE 'B'
(SPECIAL CONDITIONS OF CONTRACT)
PVC ALUMINIUM CABLE

Special Condition where they differ from the General Conditions Override the latter.

It is advised to Ensure the quality of material and reasonable cost, all accessories of pump sets like PVC 3 core flat cable and control panel shall be procured from the manufacturer of these items only and not from the manufacturers of pump sets.

I/C Purchase Section - II
(Marketing)

SCHEDULE C**LIST OF PARALLEL RATE CONTRACT FOR Aluminum Cable**

S.No.	Name of the Firm	Rate Contract No. and date
1.	M/s Gupta Agro Impliments, Sharan Compex,Opp.Deshbandhu English School,Nehru Para Raipur (C.G.)	Rate Contract No. PS-II/MKD/56/09 GAI / 1610
2.	M/s Prakash Cable Products, Subhash Marg,Surajpur Distt. Surguja (C.G.) Phone No.- 07775-266350/550/750	Rate Contract No. PS-II/MKD/56/09 PCP / 1611
3.	M/s Asian Cable Company, 2, Industrial Estate, Raigarh (C.G.) - 496001 Tel. No.- 07762-222808	Rate Contract No. PS-II/MKD/56/09 ACC / 1612
4.	M/s Rishabh Industries Near Old Bus Stand,Baster Road Distt.- DHAMTARI (C.G.) - 493773 Fax No.- 07722 - 237525	Rate Contract No. PS-II/MKD/56/09 RI / 1613
5.	M/s. Shri Siddhi Vinayak Industry 75 / A Industrial Area Polo Ground Indore (M.P.)	Rate Contract No. PS-II/MKD/56/09 SVI / 1614

I/C Purchase Section - II
(Marketing)

SCHEDULE - D
FORMAT FOR QUATERLY DRAWAL REPORT

Name of the Firm _____ Jan-Mar
 Report No. _____
 Rate Contract No. _____ Apr-June
 July-Sept.
Date of Submission _____ **Oct - Dec**

Total Position of Order against Rate Contract till the submission of Report.

S.No.	Name of Department	Quantity and Value of Orders Received (Rs.)	Quantity and Value of Orders Executed (Rs.)	Balance Quantity and Value to be Supplied (Rs.)	Reasons

Foot 1. Value indicate should be a) Value of orders received during the quarter-Rs.
 Total value inclusive of all
 Taxes duties and incidental b) Value of orders supplied during the quarter-Rs.
 Charges

2. Nil report should also be Submitted.

I/C Purchase Section - II
(Marketing)



Chhattisgarh State Industrial Development Corporation Limited

(A Government of Chhattisgarh Undertaking)

LIC Campus, Pandri Raipur 492 004 (C.G)

Phone 91-771-2583789-90, Fax : 91-771-2583794, 4091879

Website: www.csidc.in, Email : csidc.cg@nic.in, csidc_raipur@yahoo.com

No./CSIDC/MKD/PS-II/07-08/

Raipur, Dated : 18-08-2009

Registered A/D

Rate Contract No. PS-II/MKD/56/09/RI/1613

Dated: 18-08-2009

To ,

M/s Rishabh Industries
Bastar Road ,
Dhamtari -493773(C.G.)
Phone No.07722-237525

FOR OFFICE USE ONLY

Sub :- Rate Contract for the supply of **Aluminum Cable (Valid From 18-08-09 to 17-08-2010)**

Ref :- (I) This Office Tender Enquiry No. PS-II/MKD/56/09, and

(I) Financial Bid opened on date. 01-06-09

(III) Your Offer acceptance along with agreement submitted by you on 05-08-2009

Dear Sir,

You are hereby informed that your above referred tender read with subsequent letters mentioned above for the Stores specified in the Schedules annexed has been accepted. This rate contract will be governed by the terms and conditions brought in CSIDC Form No.1 & 2 . The Rate Contract and the Schedules annexed hereto shall be the sole repository of this Rate Contract / Transaction .

You are required to show the original **INK-SIGNED** subject Rate Contract to the satisfaction of Direct Demanding Officer who will place the supply order as per instructions contained in CSIDC form No. 2 and also to the Quality Assurance Officer for inspection purpose and to the paying authority at the time of getting the payment .

SCHEDULES ANNEXED :

1. Schedule "A" Description of Stores, Prices, Duties/Taxes .
2. Annexure -"A" Technical Particulars of **Aluminum Cable**
3. Schedule "B" Special conditions of contract (if any).
4. Schedule "C" Information to DDOs about parallel rate contracts.
5. Schedule "D" Format for Drawal Report.

Yours faithfully,

(S.K. Sonwani)
I/C Marketing -1

For and on behalf of the purchaser
named in CSIDC Form No. 2

Copy To,

1. Secretary, Chhattisgarh Vidhan Sabha ,Raipur .
2. Registrar, Honourable High court Chhattisgarh, Bilaspur .
3. Accountant General Chhattisgarh State .
4. All HODs of Chhattisgarh Govt. with request to circulate the copy of R/C to all Authorized officers to operate R/C as Direct Demanding Officer **& also to send the copy of purchase order issued by DDO by registered mail to this office.**
5. All Collectors ,Chhattisgarh State .
6. Director Treasury with request to circulate copy of R/C to all branches under your control .
7. Dy.Director (Q.A.), DGS&D, Bhilai.
8. PDIL Kolkata
 - Sr. No. 1 to 7 are requested to call for original INK-SIGNED Rate Contract for verification to their full satisfaction including validity of various documents like Registration, Tax Registration etc. before taking action i.e. release of supply order, inspection of stores, payment of bill whichever is applicable, as the responsibility rests with the concerned authority **You are requested to send the Inspection Report to this office.**
9. Manager (A/c) ,CSIDC (Mkt. Division). He is requested to maintain a master file of Rate Contract .
10. Computer cell Marketing Division, CSIDC Ltd. Raipur to release Rate Contract on CSIDC website.
11. Main file of **Aluminum Cable** .

(S.K. Sonwani)
I/C Marketing -1
For and on behalf of the purchaser
named in CSIDC Form No. 2

SCHEDULE 'A'For the supply of **Aluminium Cable** as per annexure 'A' enclosed.

1. (a) NAME AND FULL ADDRESS OF THE FIRM :- M/s Rishabh Industries,
Bastar Road ,
Dhamtari -493773(C.G.)
Phone No.07722-237525
07722-237643
Fax No.-07722-237525
- (b) NAME AND FULL ADDRESS OF MANUFACTURER :- M/s Rishabh Industries
Village- Ratnabandha
Post Office- Lohasi
Dist. Dhamtari (C.G.)
2. VALIDITY OF RATE CONTRACT :- **From 18-08-09 to 17-08-2010**
6. DESCRIPTION OF ITEM, **Aluminum Cable**, SPECIFICATION, UNIT RATE/Mtr.

Serial No.	Sub Item Code No.	Item Description	Rate FOR Destination Excluding ED. & VAT As Applicable (Unit Rate/Mtr)
Schedule-1			
PVC Al. Cable (Large) Number of Cores mm / Size in Sq			
1	PVCALC065002	Single 25	16.32
Schedule-3			
Non Weather proof Unarmoured PVC insulated Al. Conductor Size of the Cable in mm² / Conductor Type			
2	PVCALC065027	4 Solid	2.73
3	PVCALC065028	4 Three Strand	3.00
4	PVCALC065029	4 Seven Strand	3.08
5	PVCALC065030	6 Solid	3.78
6	PVCALC065031	6 Three Strand	3.91
7	PVCALC065032	6 Seven Strand	4.03
8	PVCALC065033	10 Solid	5.66
9	PVCALC065034	10 Seven Strand	6.63

(S.K. Sonwani)
I/C Marketing -1
For and on behalf of the purchaser
named in CSIDC Form No. 2

Schedule-4

Weather proof Unarmoured PVC insulated and PVC Sheathed Al. No. of Core / Size of the Cable in mm² / Type of Conductor			
10	PVCALC065038	Single Solid 4	4.09
11	PVCALC065041	Single Solid 6	4.59
12	PVCALC065042	Single 3 Strand 6	5.58
13	PVCALC065043	Single 7 Strand 6	5.58
14	PVCALC065044	Single Solid 10	7.55
15	PVCALC065045	Single 7 Strand 10	8.81

Note:-Technical particulars as per Annexure A enclosed.

4. TERMS OF DELIVERY : F. O. R Destination (Any where in C.G.State)
5. EXCISE DUTY : Extra.
6. SALES TAX : Sales Tax Extra as applicable as per VAT Act
Registration No. TIN No. **22872101057**
Address:-
M/s Rishabh Industries
Village- Ratnabandha , Post Office- Lohasi
7. DELIVERY PERIOD : 30 Days from date of receipt of order .
8. a. ANNUAL TURN OVER/ : 2005-06 - Rs. 2343680.00
2006-07 - Rs. 3620460.93
2007-08 - Rs. 10292023.28
- b. MONETARY LIMIT : Not Mentioned
- c. INSTALLED CAPACITY : (as per Registration certificate issued by DTIC)
Discription **Capacity/Annum**
PVC Cable Flat Cables
1361925 Mtr Or (409 MT)
- All Types of PVC Wiress & Cables
6000507 Mtr Or (387 MT)
Copper/Aluminium Wire
8125000 Mtr. Or 325 MT
Copper Aluminium & PVC Waste 21 MT
(as per registration certificate issued by DTIC)

(S.K. Sonwani)
I/C Marketing -1
For and on behalf of the purchaser
named in CSIDC Form No. 2

9. SLAB DISCOUNT (IF ANY) : Not Mentioned
10. PRICES : Prices are Firm and Final
11. MINIMUM QUANTITY IN SINGLE SUPPLY ORDER : Not Mentioned
12. STATUS OF RC HOLDING FIRM : Manufacturer-SSI Unit
13. REGISTRATION STATUS : Regn. No. 22/13/00123/PMT/SSI dated 15-01-2003 .
Issued by DTIC Dhamtri (C.G.)
14. BIS LICENSE : BIS LICENSE NO.- CM/L-8596810.
15. PAYING AUTHORITY : As Mentioned in supply order to be issued by Direct Demanding Officer (DDOs).
16. PAYMENT TERMS : The payment of full 100% of prices of the stores of each consignment there-of will be made after receipt and acceptance of the stores by the consignee/interim consignee in full and good condition within 20 days as per SPR rule No.11, if the bills are in order. In case of delay in payment without any reason the department will be liable to pay interest prevailing as per Bank rate. Bills are to be submitted in the prescribed form of the paying authority of purchaser / indenter and are to be supported with inspection note issued by the inspector and consignee's Receipt Certificate.
17. INSPECTION AUTHORITY : ADG(QA) Director General of Supplies and Disposals , New-Delhi. **OR**
PDIL - Kolkata
18. QUALITY ASSURANCE OFFICER : Dy. Director (QA), DGS&D,Bhilai. **OR**
PDIL - Kolkata.
19. PLACE WHERE THE STORES ARE TO BE OFFERED FOR INSPECTION : At Manufacturer's Factory at
M/s Rishabh Industries
Village- Ratnabandha
Post Office- Lohasi
Dist. Dhamtari (C.G.)

(S.K. Sonwani)
I/C Marketing -1
For and on behalf of the purchaser
named in CSIDC Form No. 2

- 20 INSPECTION CHARGES : **DGS&D**
0.60% Inspection charges + Service Tax @ 12.36% to be paid extra at the time of inspection to Quality Assurance Officer which will be billed by the unit along with bill of the material and will be reimbursed by the paying authority of DDO.
PDIL
0.33% Inspection charges Including Service Charges to be paid extra at the time of inspection to Quality Assurance Officer which will be billed by the unit along with bill of the material and will be reimbursed by the paying authority of DDO.
21. SECURITY DEPOSIT : As per General conditions of contract , CSIDC Form No. 1, Clause 7, the Purchaser / DDOs may require the contractor to furnish a security deposit which shall be made after issue of the acceptance of the supply order within the period specified by the purchaser / DDOs . Such security deposit shall not ordinarily exceed 3% . The security shall be in form of Demand Drafts issued by any of the Scheduled Commercial Banks. No other form of security is to be accepted. The security deposit amount is to be refunded after successful completion of the supply.
22. Special Note
1. Purchasing Departments will ensure pre dispatch inspection of supplied materials
 2. Purchasing Departments will be responsible for ensuring the Quality of accepted materials.

(S.K. Sonwani)
I/C Marketing -1
For and on behalf of the purchaser
named in CSIDC Form No. 2

Annexure 'B'**Technical Particular For PVC Aluminium Cable (Small Size)****1 Schedule Non Weather Proof Unarmoured PVC Insulated Al.
Conductor Cable**

Specification :

ISI Marked Unarmoured PVC insulated single core cable with aluminium conductor for working voltage upto and including 1100 Volt and conforming to IS 694/90 with amendment number 1 & 2 and of the following sizes. Conductor shall be conforming to IS: 8130/84 table I and table II as applicable.

	Size of the Cable in mm²	Conductor Type
1.	1.5	Solid
2.	2.5	Solid
3.	2.5 3	Strand
4.	4.0	Solid
5.	4.0	3 Strand
6.	4.0 7	Strand
7.	6.0	Solid
8.	6.0 3	Strand
9.	6.0 7	Strand
10.	10.0	Solid
11.	10.0 7	Strand

**2 Schedule Weather Proof Unarmoured PVC Insulated, PVC Sheathed Al.
Conductor Cable**

Specification :

ISI Marked Unarmoured PVC insulated and PVC sheathed cable with aluminium conductor for working voltage upto and including 1100 Volt and conforming to IS 694/90 with amendment number 1 & 2 and of the following sizes. Conductor shall be conforming to IS: 8130/84 table I and table II as applicable.

(S.K. Sonwani)
I/C Marketing -1
For and on behalf of the purchaser
named in CSIDC Form No. 2

	No. of Core	Size of the Cable in mm²	Type of Conductor
1.	Single	1.5	Solid
2.	Single	2.5	Solid
3.	Single	2.5 3	Strand
4.	Single	4.0	Solid
5.	Single	4.0 3	Strand
6.	Single	4.0 7	Strand
7.	Single	6.0	Solid
8.	Single	6.0 3	Strand
9.	Single	6.0 7	Strand
10.	Single	10.0	Solid
11.	Single	10.0 7	Strand
12.	Twin Flat	1.5	Solid
13.	Twin Flat	2.5	Solid
14.	Twin Flat	2.5 3	Strand
15.	Twin Flat	4.0	Solid
16.	Twin Flat	4.0 3	Strand
17.	Twin Flat	4.0 7	Strand
18.	Twin Flat	6.0	Solid
19.	Twin Flat	6.0 3	Strand
20.	Twin Flat	6.0 7	Strand
21.	Twin Flat	10.0	Solid
22.	Twin Flat	10.0 7	Strand
23.	Three Circular	1.5	Solid
24.	Three Circular	2.5	Solid
25.	Three Circular	2.5 3	Strand
26.	Three Circular	4.0	Solid
27.	Three Circular	4.0 3	Strand
28.	Three Circular	4.0 7	Strand
29.	Three Circular	6.0	Solid
30.	Three Circular	6.0 3	Strand
31.	Three Circular	6.0 7	Strand
32.	Three Circular	10.0	Solid
33.	Three Circular	10.0 7	Strand
34.	Four Circular	1.5	Solid
35.	Four Circular	2.5	Solid
36.	Four Circular	2.5 3	Strand
37.	Four Circular	4.0	Solid

38.	Four Circular	4.0 3	Strand
39.	Four Circular	4.0 7	Strand
40.	Four Circular	6.0	Solid
41.	Four Circular	6.0 3	Strand
42.	Four Circular	6.0 7	Strand
43.	Four Circular	10.0	Solid
44.	Four Circular	10.0 7	Strand

INDENTOR TO NOTE :

General Technical requirement For R/C :

1. DDO will place orders for quantity in multiples of standard length (100 meters).
1. The cable shall be supplied in coils of standard length of 100 meters without negative tolerance.
2. Firms shall furnish satisfactory Type Test Report as per the T/E specification for the smallest and the largest size of the cable quoted to the Director(QA) concern at the time of inspection from approved Laboratory. List of approved Laboratory attached. Type test shall include thermal stability test for insulation and sheath.
3. Thermal stability test on insulation and sheath shall be done as additional acceptance test.
4. The type test for insulation properties are to be carried out once in three months at firm's laboratory by DQA concern. In addition complete type test on cable is to be carried out at DGS&D approved laboratory once during the R/C period at firms cost.
5. In addition to the marking requirement as per Clause 17 of IS 694:1990 with amendment No.1 & 2 sequential marking of the length on each meter of the cable shall also be required.

I/C Purchase Section - II
(Marketing)

Technical Particular For PVC(Alum.) Cable (Large Size)**1 Schedule Non Weather Proof Unarmoured PVC Insulated Unsheathed Al. Conductor Cables**

Specification :

ISI marked Non weather proof unarmoured PVC insulated, unsheathed cables for electric power and lighting with stranded aluminium conductor, for working voltage upto and including 1100 Volts conforming to IS:694/90 with amdt. No.1 and 2 and conductors conforming to IS:8130/84 and as per detailed specification

	Number of Cores	Size in Sq .mm
1.	Single	16
2.	Single	25
3.	Single	35
4.	Single	50
5.	Single	70
6.	Single	95
7.	Single	120

2 Schedule Weather Proof Unarmoured PVC Insulated and PVC Sheathed Al. Conductor Cables

Specification :

ISI marked Weather proof unarmoured PVC insulated and PVC sheathed cables for electric power and lighting with stranded aluminium conductor for working voltage upto and including 1100 Volts conforming to IS:694/90 with amdt. No.1 and 2 and conductors conforming to IS:8130/84 and as per detailed specification

	Number of Core	Size in Sq.mm
1.	Single-Sheathed	16
2.	Single-Sheathed	25
3.	Single-Sheathed	35
4.	Single-Sheathed	50
5.	Twin Flat	16
6.	Twin Flat	25
7.	Twin Flat	35
8.	Twin Flat	50
9.	Three Circular	16

10.	Three Circular	25
11.	Three Circular	35
12.	Three Circular	50
13.	Four Circular	16
14.	Four Circular	25
15.	Four Circular	35
16.	Four Circular	50

General Technical requirement For R/C :

DETAILED SPECIFICATION

1. The cable shall be supplied in standard length of 100 meters without negative tolerance. 5% quantity can however be supplied in short length but not less than 45 meters and not more than two non standard length in one reel.
2. Suppliers shall submit complete and satisfactory Type Test Certificate for the smallest and the largest size of the cable quoted to the concerned D(QA) at the time of inspection from any govt. laboratory. Type tests shall include thermal stability test for insulation and sheath. Separate TTC shall be required for weather proof and non weather proof cables.
3. Thermal stability test on insulation and sheath shall be done as additional acceptance test.
4. The type test for insulation properties are to be carried out once in three months at firms laboratory by DQA concern. In addition complete type test on cable is to be carried out at govt. lab once during the R/C period at firm's cost.
5. Sequential marking on every meter of the cable shall be required in addition to the Marking requirement as per IS

I/C Purchase Section - II
(Marketing)

SCHEDULE 'B'
(SPECIAL CONDITIONS OF CONTRACT)
PVC ALUMINIUM CABLE

Special Condition where they differ from the General Conditions Override the latter.

It is advised to Ensure the quality of material and reasonable cost, all accessories of pump sets like PVC 3 core flat cable and control panel shall be procured from the manufacturer of these items only and not from the manufacturers of pump sets.

I/C Purchase Section - II
(Marketing)

SCHEDULE C**LIST OF PARALLEL RATE CONTRACT FOR Aluminum Cable**

S.No.	Name of the Firm	Rate Contract No. and date
1.	M/s Gupta Agro Impliments, Sharan Compex,Opp.Deshbandhu English School,Nehru Para Raipur (C.G.)	Rate Contract No. PS-II/MKD/56/09 GAI / 1610
2.	M/s Prakash Cable Products, Subhash Marg,Surajpur Distt. Surguja (C.G.) Phone No.- 07775-266350/550/750	Rate Contract No. PS-II/MKD/56/09 PCP / 1611
3.	M/s Asian Cable Company, 2, Industrial Estate, Raigarh (C.G.) - 496001 Tel. No.- 07762-222808	Rate Contract No. PS-II/MKD/56/09 ACC / 1612
4.	M/s Rishabh Industries Near Old Bus Stand,Baster Road Distt.- DHAMTARI (C.G.) - 493773 Fax No.- 07722 - 237525	Rate Contract No. PS-II/MKD/56/09 RI / 1613
5.	M/s. Shri Siddhi Vinayak Industry 75 / A Industrial Area Polo Ground Indore (M.P.)	Rate Contract No. PS-II/MKD/56/09 SVI / 1614

I/C Purchase Section - II
(Marketing)

SCHEDULE - D**FORMAT FOR QUATERLY DRAWAL REPORT**

Name of the Firm _____ Jan-Mar
 Report No. _____ Apr-June
 Rate Contract No. _____ July-Sept.

Date of Submission _____ **Oct - Dec**

Total Position of Order against Rate Contract till the submission of Report.

S.No.	Name of Department	Quantity and Value of Orders Received (Rs.)	Quantity and Value of Orders Executed (Rs.)	Balance Quantity and Value to be Supplied (Rs.)	Reasons

- Foot 1. Value indicate should be Total value inclusive of all Taxes duties and incidental Charges
2. Nil report should also be Submitted.
- a) Value of orders received during the quarter-Rs.
 b) Value of orders supplied during the quarter-Rs.

I/C Purchase Section - II
 (Marketing)



Chhattisgarh State Industrial Development Corporation Limited

(A Government of Chhattisgarh Undertaking)
LIC Campus, Pandri Raipur 492 004 (C.G)
Phone 91-771-2583789-90, Fax : 91-771-2583794, 4091879
Website: www.csidc.in, Email : csidc.cg@nic.in, csidc_raipur@yahoo.com

No./CSIDC/MKD/PS-II/07-08/

Raipur, Dated : 18-08-2009

Registered A/D

Rate Contract No. PS-II/MKD/56/09/SVI/1614

Dated: 18-08-2009

To ,

M/s Shri Siddhi Vinayak Industry
75 / A Industrial Area
Polo Ground Indore (M.P.)

FOR OFFICE USE ONLY

Sub :- Rate Contract for the supply of **Aluminum Cable (Valid From 18-08-09 to 17-08-2010)**

Ref :- (I) This Office Tender Enquiry No. PS-II/MKD/56/09, and

(I) Financial Bid opened on date. 01-06-09

(III) Your Offer acceptance along with agreement submitted by you on 04-08-2009

Dear Sir,

You are hereby informed that your above referred tender read with subsequent letters mentioned above for the Stores specified in the Schedules annexed has been accepted. This rate contract will be governed by the terms and conditions brought in CSIDC Form No.1 & 2 . The Rate Contract and the Schedules annexed hereto shall be the sole repository of this Rate Contract / Transaction .

You are required to show the original **INK-SIGNED** subject Rate Contract to the satisfaction of Direct Demanding Officer who will place the supply order as per instructions contained in CSIDC form No. 2 and also to the Quality Assurance Officer for inspection purpose and to the paying authority at the time of getting the payment .

SCHEDULES ANNEXED :

1. Schedule "A" Description of Stores, Prices, Duties/Taxes .
2. Annexure -"A" Technical Particulars of **Aluminum Cable**
3. Schedule "B" Special conditions of contract (if any).
4. Schedule "C" Information to DDOs about parallel rate contracts.
5. Schedule "D" Format for Drawal Report.

Yours faithfully,

(S.K. Sonwani)

I/C Marketing -1

For and on behalf of the purchaser
named in CSIDC Form No. 2

Copy To,

1. Secretary, Chhattisgarh Vidhan Sabha ,Raipur .
2. Registrar, Honourable High court Chhattisgarh, Bilaspur .
3. Accountant General Chhattisgarh State .
4. All HODs of Chhattisgarh Govt. with request to circulate the copy of R/C to all Authorized officers to operate R/C as Direct Demanding Officer **& also to send the copy of purchase order issued by DDO by registered mail to this office.**
5. All Collectors ,Chhattisgarh State .
6. Director Treasury with request to circulate copy of R/C to all branches under your control .
7. Dy.Director (Q.A.), DGS&D, Indore .
8. PDIL Kolkata
 - Sr. No. 1 to 7 are requested to call for original INK-SIGNED Rate Contract for verification to their full satisfaction including validity of various documents like Registration, Tax Registration etc. before taking action i.e. release of supply order, inspection of stores, payment of bill whichever is applicable, as the responsibility rests with the concerned authority **You are requested to send the Inspection Report to this office.**
9. Manager (A/c) ,CSIDC (Mkt. Division). He is requested to maintain a master file of Rate Contract .
10. Computer cell Marketing Division, CSIDC Ltd. Raipur to release Rate Contract on CSIDC website.
11. Main file of **Aluminum Cable** .

(S.K. Sonwani)
I/C Marketing -1
For and on behalf of the purchaser
named in CSIDC Form No. 2

SCHEDULE 'A'

For the supply of **Aluminium Cable** as per annexure 'A' enclosed.

1. (a) NAME AND FULL ADDRESS OF THE FIRM :- M/s. Shri Siddhi Vinayak Industry
75 / A Industrial Area
Polo Ground Indore (M.P.)
- (b) NAME AND FULL ADDRESS OF MANUFACTURER :- M/s. Shri Siddhi Vinayak Industry
32 RR Industrial Area Sanwer Road
Indore (M.P.)
2. VALIDITY OF RATE CONTRACT :- **From 18-08-09 to 17-08-2010**
7. DESCRIPTION OF ITEM, **Aluminum Cable**, SPECIFICATION, UNIT RATE/Mtr.

Serial No.	Sub Item Code No.	Item Description	Rate FOR Destination Excluding ED. & VAT As Applicable (Unit Rate/Mtr)
Schedule-1			
PVC Al. Cable (Large) Number of Cores mm / Size in Sq			
1	PVCALC065001	Single 16	9.67
Schedule-2			
Weather proof Unarmoured PVC insulated and PVC Sheathed Al. Conductor Cables Number of Core / Size in Sq. mm			
2	PVCALC065016	Three Circular 16	40.62
3	PVCALC065017	Three Circular 25	53.48
Schedule-3			
Non Weather proof Unarmoured PVC insulated Al. Conductor Size of the Cable in mm² / Conductor Type			
4	PVCALC065024	1.5 Solid	1.28
5	PVCALC065025	2.5 Solid	1.82
6	PVCALC065026	2.5 Three Strand	1.91
7	PVCALC065027	4 Solid	2.73

(S.K. Sonwani)
I/C Marketing -1
For and on behalf of the purchaser
named in CSIDC Form No. 2

Note:-Technical particulars as per Annexure A enclosed.

4. TERMS OF DELIVERY : F. O. R Destination (Any where in C.G.State)
5. EXCISE DUTY : Extra.
6. SALES TAX : VAT Extra as applicable as per VAT Act
Registration No. TIN No. **23570203546**
Address:-
M/s. Shri Siddhi Vinayak Industry
75 / A Industrial Area
Polo Ground Indore (M.P.)
7. DELIVERY PERIOD : 30 Days from date of receipt of order .
8. a. ANNUAL TURN OVER/ : 2005-06 - Rs. 18600771.00
2006-07 - Rs. 21200254.00
2007-08 - Rs. 19700059.00
- b. MONETARY LIMIT : Not Mentioned
- c. INSTALLED CAPACITY : (as per Registration certificate issued by NSIC)
Discription Capacity/Annum PVC Insulated Cable working Voltage upto 1100 Volts
as IS - 694- 1125000 Mtr / Annum
9. SLAB DISCOUNT (IF ANY) : Not Mentioned
10. PRICES : Prices are Firm and Final
11. MINIMUM QUANTITY IN SINGLE SUPPLY ORDER : Not Mentioned
12. STATUS OF RC HOLDING FIRM : Manufacturer-SSI Unit

(S.K. Sonwani)
I/C Marketing -1
For and on behalf of the purchaser
named in CSIDC Form No. 2

13. REGISTRATION STATUS : NSIC Regn. No. NSIC / IND/GP/RS/S-19/30/MP/08-09
Issued by NSIC Indore (M.P.)
14. BIS LICENSE : BIS LICENSE NO.- CM/L-8596810.
15. PAYING AUTHORITY : As Mentioned in supply order to be issued by Direct
Demanding Officer (DDOs).
16. PAYMENT TERMS : The payment of full 100% of prices of the stores of each
consignment there-of will be made after receipt and
acceptance of the stores by the consignee/interim
consignee in full and good condition within 20 days as per
SPR rule No.11, if the bills are in order. In case of delay in
payment without any reason the department will be liable
to pay interest prevailing as per Bank rate. Bills are to be
submitted in the prescribed form of the paying authority of
purchaser / indenter and are to be supported with
inspection note issued by the inspector and consignee's
Receipt Certificate.
17. INSPECTION AUTHORITY : ADG(QA) Director General of Supplies and
Disposals , New-Delhi. **OR**
PDIL - Kolkata
18. QUALITY ASSURANCE OFFICER : Dy. Director (QA), DGS&D,Indore. **OR**
PDIL - Kolkata
19. PLACE WHERE THE STORES ARE TO BE OFFERED FOR INSPECTION : At Manufacturer's Factory at
M/s Shri Siddhi Vinayak Industries
32 RR Industrial Area Sanwer Road
Indore (M.P.)
20. INSPECTION CHARGES : **DGS&D**
0.60% Inspection charges + Service Tax @ 12.36% to be
paid extra at the time of inspection to Quality Assurance
Officer which will be billed by the unit along with bill of
the material and will be reimbursed by the paying
authority of DDO.
PDIL
0.33% Inspection charges Including Service Charges to
to be paid extra at the time of inspection to Quality
Assurance Officer which will be billed by the unit along
with bill of the material and will be reimbursed by the
paying authority of DDO.

(S.K. Sonwani)
I/C Marketing -1
For and on behalf of the purchaser
named in CSIDC Form No. 2

21. SECURITY DEPOSIT : As per General conditions of contract , CSIDC Form No. 1, Clause 7, the Purchaser / DDOs may require the contractor to furnish a security deposit which shall be made after issue of the acceptance of the supply order within the period specified by the purchaser / DDOs . Such security deposit shall not ordinarily exceed 3% . The security shall be in form of Demand Drafts issued by any of the Scheduled Commercial Banks. No other form of security is to be accepted. The security deposit amount is to be refunded after successful completion of the supply.
22. Special Note
1. Purchasing Departments will ensure pre dispatch inspection of supplied materials
 2. Purchasing Departments will be responsible for ensuring the Quality of accepted materials.

(S.K. Sonwani)
I/C Marketing -1
For and on behalf of the purchaser
named in CSIDC Form No. 2

Annexure 'B'**Technical Particular For PVC Aluminium Cable (Small Size)****1 Schedule Non Weather Proof Unarmoured PVC Insulated Al.
Conductor Cable**

Specification :

ISI Marked Unarmoured PVC insulated single core cable with aluminium conductor for working voltage upto and including 1100 Volt and conforming to IS 694/90 with amendment number 1 & 2 and of the following sizes. Conductor shall be conforming to IS: 8130/84 table I and table II as applicable.

	Size of the Cable in mm²	Conductor Type
1.	1.5	Solid
2.	2.5	Solid
3.	2.5 3	Strand
4.	4.0	Solid
5.	4.0	3 Strand
6.	4.0 7	Strand
7.	6.0	Solid
8.	6.0 3	Strand
9.	6.0 7	Strand
10.	10.0	Solid
11.	10.0 7	Strand

**2 Schedule Weather Proof Unarmoured PVC Insulated, PVC Sheathed Al.
Conductor Cable**

Specification :

ISI Marked Unarmoured PVC insulated and PVC sheathed cable with aluminium conductor for working voltage upto and including 1100 Volt and conforming to IS 694/90 with amendment number 1 & 2 and of the following sizes. Conductor shall be conforming to IS: 8130/84 table I and table II as applicable.

(S.K. Sonwani)
I/C Marketing -1
For and on behalf of the purchaser
named in CSIDC Form No. 2

	No. of Core	Size of the Cable in mm²	Type of Conductor
1.	Single	1.5	Solid
2.	Single	2.5	Solid
3.	Single	2.5 3	Strand
4.	Single	4.0	Solid
5.	Single	4.0 3	Strand
6.	Single	4.0 7	Strand
7.	Single	6.0	Solid
8.	Single	6.0 3	Strand
9.	Single	6.0 7	Strand
10.	Single	10.0	Solid
11.	Single	10.0 7	Strand
12.	Twin Flat	1.5	Solid
13.	Twin Flat	2.5	Solid
14.	Twin Flat	2.5 3	Strand
15.	Twin Flat	4.0	Solid
16.	Twin Flat	4.0 3	Strand
17.	Twin Flat	4.0 7	Strand
18.	Twin Flat	6.0	Solid
19.	Twin Flat	6.0 3	Strand
20.	Twin Flat	6.0 7	Strand
21.	Twin Flat	10.0	Solid
22.	Twin Flat	10.0 7	Strand
23.	Three Circular	1.5	Solid
24.	Three Circular	2.5	Solid
25.	Three Circular	2.5 3	Strand
26.	Three Circular	4.0	Solid
27.	Three Circular	4.0 3	Strand
28.	Three Circular	4.0 7	Strand
29.	Three Circular	6.0	Solid
30.	Three Circular	6.0 3	Strand
31.	Three Circular	6.0 7	Strand
32.	Three Circular	10.0	Solid
33.	Three Circular	10.0 7	Strand
34.	Four Circular	1.5	Solid
35.	Four Circular	2.5	Solid
36.	Four Circular	2.5 3	Strand
37.	Four Circular	4.0	Solid

38.	Four Circular	4.0 3	Strand
39.	Four Circular	4.0 7	Strand
40.	Four Circular	6.0	Solid
41.	Four Circular	6.0 3	Strand
42.	Four Circular	6.0 7	Strand
43.	Four Circular	10.0	Solid
44.	Four Circular	10.0 7	Strand

INDENTOR TO NOTE :

General Technical requirement For R/C :

1. DDO will place orders for quantity in multiples of standard length (100 meters).
1. The cable shall be supplied in coils of standard length of 100 meters without negative tolerance.
2. Firms shall furnish satisfactory Type Test Report as per the T/E specification for the smallest and the largest size of the cable quoted to the Director(QA) concern at the time of inspection from approved Laboratory. List of approved Laboratory attached. Type test shall include thermal stability test for insulation and sheath.
3. Thermal stability test on insulation and sheath shall be done as additional acceptance test.
4. The type test for insulation properties are to be carried out once in three months at firm's laboratory by DQA concern. In addition complete type test on cable is to be carried out at DGS&D approved laboratory once during the R/C period at firms cost.
5. In addition to the marking requirement as per Clause 17 of IS 694:1990 with amendment No.1 & 2 sequential marking of the length on each meter of the cable shall also be required.

I/C Purchase Section - II
(Marketing)

Technical Particular For PVC(Alum.) Cable (Large Size)

**1 Schedule Non Weather Proof Unarmoured PVC Insulated Unsheathed
Al. Conductor Cables**

Specification :

ISI marked Non weather proof unarmoured PVC insulated, unsheathed cables for electric power and lighting with stranded aluminium conductor, for working voltage upto and including 1100 Volts conforming to IS:694/90 with amdt. No.1 and 2 and conductors conforming to IS:8130/84 and as per detailed specification

	Number of Cores	Size in Sq .mm
1.	Single	16
2.	Single	25
3.	Single	35
4.	Single	50
5.	Single	70
6.	Single	95
7.	Single	120

**2 Schedule Weather Proof Unarmoured PVC Insulated and PVC Sheathed Al.
Conductor Cables**

Specification :

ISI marked Weather proof unarmoured PVC insulated and PVC sheathed cables for electric power and lighting with stranded aluminium conductor for working voltage upto and including 1100 Volts conforming to IS:694/90 with amdt. No.1 and 2 and conductors conforming to IS:8130/84 and as per detailed specification

	Number of Core	Size in Sq.mm
1.	Single-Sheathed	16
2.	Single-Sheathed	25
3.	Single-Sheathed	35
4.	Single-Sheathed	50
5.	Twin Flat	16
6.	Twin Flat	25
7.	Twin Flat	35
8.	Twin Flat	50
9.	Three Circular	16

I/C Purchase Section - II
(Marketing)

10.	Three Circular	25
11.	Three Circular	35
12.	Three Circular	50
13.	Four Circular	16
14.	Four Circular	25
15.	Four Circular	35
16.	Four Circular	50

General Technical requirement For R/C :

DETAILED SPECIFICATION

1. The cable shall be supplied in standard length of 100 meters without negative tolerance. 5% quantity can however be supplied in short length but not less than 45 meters and not more than two non standard length in one reel.
2. Suppliers shall submit complete and satisfactory Type Test Certificate for the smallest and the largest size of the cable quoted to the concerned D(QA) at the time of inspection from any govt. laboratory. Type tests shall include thermal stability test for insulation and sheath. Separate TTC shall be required for weather proof and non weather proof cables.
3. Thermal stability test on insulation and sheath shall be done as additional acceptance test.
4. The type test for insulation properties are to be carried out once in three months at firms laboratory by DQA concern. In addition complete type test on cable is to be carried out at govt. lab once during the R/C period at firm's cost.
5. Sequential marking on every meter of the cable shall be required in addition to the Marking requirement as per IS

I/C Purchase Section - II
(Marketing)

SCHEDULE 'B'
(SPECIAL CONDITIONS OF CONTRACT)
PVC ALUMINIUM CABLE

Special Condition where they differ from the General Conditions Override the latter.

It is advised to Ensure the quality of material and reasonable cost, all accessories of pump sets like PVC 3 core flat cable and control panel shall be procured from the manufacturer of these items only and not from the manufacturers of pump sets.

I/C Purchase Section - II
(Marketing)

SCHEDULE C**LIST OF PARALLEL RATE CONTRACT FOR Aluminum Cable**

S.No.	Name of the Firm	Rate Contract No. and date
1.	M/s Gupta Agro Impliments, Sharan Compex,Opp.Deshbandhu English School,Nehru Para Raipur (C.G.)	Rate Contract No. PS-II/MKD/56/09 GAI / 1610
2.	M/s Prakash Cable Products, Subhash Marg,Surajpur Distt. Surguja (C.G.) Phone No.- 07775-266350/550/750	Rate Contract No. PS-II/MKD/56/09 PCP / 1611
3.	M/s Asian Cable Company, 2, Industrial Estate, Raigarh (C.G.) - 496001 Tel. No.- 07762-222808	Rate Contract No. PS-II/MKD/56/09 ACC / 1612
4.	M/s Rishabh Industries Near Old Bus Stand,Baster Road Distt.- DHAMTARI (C.G.) - 493773 Fax No.- 07722 - 237525	Rate Contract No. PS-II/MKD/56/09 RI / 1613
5.	M/s. Shri Siddhi Vinayak Industry 75 / A Industrial Area Polo Ground Indore (M.P.)	Rate Contract No. PS-II/MKD/56/09 SVI / 1614

(S.K. Sonwani)
I/C Marketing -1
For and on behalf of the purchaser
named in CSIDC Form No. 2

SCHEDULE – D**FORMAT FOR QUATERLY DRAWAL REPORT**

Name of the Firm _____ Jan-Mar
 Report No. _____ Apr-June
 Rate Contract No. _____ July-Sept.

Date of Submission _____ **Oct - Dec**

Total Position of Order against Rate Contract till the submission of Report.

S.No.	Name of Department	Quantity and Value of Orders Received (Rs.)	Quantity and Value of Orders Executed (Rs.)	Balance Quantity and Value to be Supplied (Rs.)	Reasons

Foot 1. Value indicate should be a) Value of orders received during the quarter-Rs.
 Total value inclusive of all Taxes duties and incidental Charges b) Value of orders supplied during the quarter-Rs.

2. Nil report should also be Submitted.

(S.K. Sonwani)
 I/C Marketing -1
 For and on behalf of the purchaser
 named in CSIDC Form No. 2